FILE NOTATIONS Entered in N1D File Entered On S R Sheet Location Map Pinned Card Indexed I W R for State or Fee Land	Checked by Chief Copy NID to Field Office Approval Letter Disapproval Letter	pmB
COMPLETION DATA: Date Well Completed 3-11-6-3 OW	Location Inspected Bond released State of Fee Land	HLC
LOGS FI	LED	
D. 1 . Log 4-2-63 El Logs (No.) Mare Resort E	GR GR-N	



1112 WALKER BANK BUILDING

SALT LAKE CITY 11, UTAH

November 9, 1962

Oil and Gas Conservation Commission 310 Newhouse Building Salt Lake City 11, Utah

Gentlemen:

We submit herewith notice, in duplicate, of our intention to drill U-Tex well number 3 in NW\(\frac{1}{2}\) NW\(\frac{1}{2}\) SW\(\frac{1}{2}\) of Section 3, Township 20 South, Range 24 East, S.L.M., Grand County, Utah on land covered by lease from Gust Patsantaris and Mabel Patsantaris, which has been assigned to us by Lewis H. Larsen, Lessee.

We also submit two copies of well location plat and bond in the amount of \$5,000.00 running to the State of Utah.

We respectfully request early approval of our plan to drill.

Yours very truly,

GH

Reed E. Holt, Secretary

Encls.

Copy H. K.C.
(SUBMIT IN DUPLICATE)

_		
	K	

LAND:

0		l
<u></u>)
1		
		 -
	·	 <u> </u>

STATE OF UTAH OIL & GAS CONSERVATION COMMISSION

SALT LAKE CITY, UTAH

Fee and Patented	
State	
Lease No	
Public DomainLease No.	
Indian	
Lease No.	

otice of Intention to Drill	X	Subsequent Report of	Water Shut-off
otice of Intention to Change Plans		Subsequent Report of	Altering Casing
otice of Intention to Redrill or Repair			Redrilling or Repair
otice of Intention to Pull or Alter Casing		Supplementary Well	History
otice of Intention to Abandon Well			
	,		
(INDICATE ABOVE BY CHEC	K MARK NATU	RE OF REPORT, NOTICE, OR OTHER	
		•	vember 9 , 19 62
Well No. 3 is located 2,310 ft.			
NWZ, NWZ, SWZ, Sec. 3, 20 South (1/4 Soc. and Soc. No.) Agate Serber Mase (Field)	<u> </u>	24 East	Salt Lake
(1/4 Sec. and Sec. No.) (Twp.)		(Range)	(Meridian)
Agate Serler Mase	Grand	***************************************	Utah
(Field)	(County o	r Subdivision)	(State or Territory)
A drilling and plugging bond has been filed	with Oi	1 & Gas Conservation	on Commission, State of
	with Oi	1 & Gas Conservation OF WORK	
A drilling and plugging bond has been filed	with Oi DETAILS ands; show	1 & Gas Conservation OF WORK sizes, weights, and lengths	of proposed casings; indicate mudo
A drilling and plugging bond has been filed D (State names of and expected depths to objective sa	with Oi DETAILS Inds; show k, surface tools tool	OF WORK sizes, weights, and lengths formation, and date anticip o a depth sufficien n if encountered as	of proposed casings; indicate mudd ate spudding-in.) at to test the Lower t a lesser depth.
A drilling and plugging bond has been filed (State names of and expected depths to objective sa jobs, cementing points, and all other important work Well to be drilled with cable Morrison formation or commercial profiles string: 50 feet of 8-5/behind casing from bottom to top.	with Oi DETAILS nds; show k, surface tools t coductio 7" O.D.	OF WORK sizes, weights, and lengths formation, and date anticip o a depth sufficien n if encountered as	of proposed casings; indicate mudding-in.) at to test the Lower t a lesser depth. ill be circulated
A drilling and plugging bond has been filed (State names of and expected depths to objective sa jobs, cementing points, and all other important work Well to be drilled with cable Morrison formation or commercial profirst string: 50 feet of 8-5/behind casing from bottom to top. Cave string, (If necessary):	with Oi DETAILS nds; show k, surface tools t coductio 7" O.D.	OF WORK sizes, weights, and lengths formation, and date anticip o a depth sufficien n if encountered as	of proposed casings; indicate mudding-in.) at to test the Lower t a lesser depth. ill be circulated
A drilling and plugging bond has been filed (State names of and expected depths to objective sa jobs, cementing points, and all other important work Well to be drilled with cable Morrison formation or commercial profirst string: 50 feet of 8-5/behind casing from bottom to top. Cave string, (If necessary):	with Oi DETAILS nds; show k, surface tools t coductio 7" O.D.	OF WORK sizes, weights, and lengths formation, and date anticip o a depth sufficien n if encountered as	of proposed casings; indicate mudding-in.) at to test the Lower t a lesser depth. ill be circulated
A drilling and plugging bond has been filed (State names of and expected depths to objective sa jobs, cementing points, and all other important work Well to be drilled with cable Morrison formation or commercial profirst string: 50 feet of 8-5/behind casing from bottom to top. Cave string, (If necessary):	with Oi DETAILS nds; show k, surface tools t coductio 7" O.D.	OF WORK sizes, weights, and lengths formation, and date anticip o a depth sufficien n if encountered as	of proposed casings; indicate mudd ate spudding-in.) at to test the Lower t a lesser depth.
A drilling and plugging bond has been filed (State names of and expected depths to objective sa jobs, cementing points, and all other important work Well to be drilled with cable Morrison formation or commercial profirst string: 50 feet of 8-5/behind casing from bottom to top. Cave string, (If necessary):	with Oi DETAILS nds; show k, surface tools t coductio 7" O.D.	OF WORK sizes, weights, and lengths formation, and date anticip o a depth sufficien n if encountered as	of proposed casings; indicate mudding-in.) at to test the Lower t a lesser depth. ill be circulated
A drilling and plugging bond has been filed (State names of and expected depths to objective sa jobs, cementing points, and all other important work Well to be drilled with cable Morrison formation or commercial profirst string: 50 feet of 8-5/behind casing from bottom to top. Cave string, (If necessary):	with Oi DETAILS nds; show k, surface tools t coductio 7" O.D.	OF WORK sizes, weights, and lengths formation, and date anticip o a depth sufficien n if encountered as	of proposed casings; indicate mudding-in.) at to test the Lower t a lesser depth. ill be circulated

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.


Title Secretary

1112 Walker Bank Building

Salt Lake City 11, Utah

Address.

WELL LOCATION PLAT



IN NW/4, NW/4, SW/4, SEC.3. TZOS RZ4E SLBEM GRAND COUNTY UTAH SCALE: 1"=1000' NOV.1.1962 STADIA SURVEY

ELEV. CARRIED FROM MEMILLAN-JOHNSON WELL IN NW, NW, NW, S. 15, 20,24.

John & Theo

LIAH REG'D. LAND SURVEYOR Nº 1963

November 13, 1962

U-Tex Oil Company 1112 Walker Bank Building Salt Lake City 11, Utah

Attention: Reed E. Holt, Secretary

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Fee #3, which is to be located 2310 feet from the south line and 330 feet from the west line of Section 3, Township 20 South, Range 24 East, SLBM, Grand County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted in accordance with the Order issued in Cause #2 on June 28, 1956. However, this approval is conditional upon not less than 60 feet of surface casing being set.

As soon as you have determined that it will be necessary to plug and abandon the above well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL, Chief Petroleum Engineer

Office: DA 8-5771 or DA 8-5772

Home: CR 7-2890 Salt Lake City, Utah

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Address all other forms of communication to the Utah State Oil and Gas Conservation Commission, 310 Newhouse Building, Salt Lake City, Utah.

Please have the enclosed "Miniaum Safety Requirements" notice posted in a conspicuous place on the drilling location.

Very truly yours.

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT EXECUTIVE DIRECTOR

CB# : CD

cc: H. L. Coonts, Pet. Eng.

STATE OF UTAH

OIL & GAS CONSERVATION COMMISSION

PI

Salt Lake City 14, Utah

REPORT OF OPERATIONS AND WELL STATUS REPORT

State	Utah	Cou	inty	rand		Field or	Lease	Agate
Th					_	l production	on (includ	ling drilling and producing wells) for
	рес	ember	-	, 1962	<u>.</u>			
Agent's	address		alker Ba			Compa	any U-T	ex Oil Company
		Salt I	ake City	, 11, U	tah	Signed		red 6 Hart
Phone	EL 9	-7402				Agent'	s title	Secretary
State L	ease No		Fed	eral Lease	No		. Indian L	ease No Fee & Pat. 🗶
Sec. & 1/4 of 1/4		Range	Well No.	*Status	Oil Bbls.	Water Bbls.	Gas MCF's	REMARKS (If drilling, Depth; if shut down, Cause; Date & Results of Water Shut-Off Test; Contents of Gas; and Gas-Oil Ratio Test)
nmş nv	vž SWž				-		·	
3	20 S	24 E	3				,	Cleaning out caved area - Depth 1142 feet.
		·						
								·
					·			
								·
					·			
·			.ن					
			(
							,	
	1		l	1		I		<u> </u>

NOTE: Report on this form as provided for in Rule C-22. (See back of form.)

FILE IN DUPLICATE

*STATUS: F-Flowing P-Pumping GL-Gas Lift SI-Shut In D-Dead GI-Gas Injection TA-Temp. Aban. WI-Water Injection





U-TEX OIL COMPANY

1112 WALKER BANK BUILDING

SALT LAKE CITY, UTAH 84111

December 13, 1962

Oil & Gas Conservation Commission 310 Newhouse Building Salt Lake City, Utah 84111

Gentlemen:

On November 9, 1962 we submitted Continental Casualty Company bond No. 2119902 in the amount of \$5,000.00 in connection with the drilling of our U-Tex No. 3 well on lands owned by Gust Patsantaris and Mabel Patsantaris in the NW\(\frac{1}{2}\)NW\(\frac{1}{2}\)SW\(\frac{1}{2}\), Section 3, Township 20 South, Range 24 East.

This well was abandoned in accordance with our Notice dated March 29, 1963.

Will you kindly advise us if you cannot now instruct Continental Agency Company, 320 East 4th South, Salt Lake City, Utah, to release the bond?

Yours very truly,

Glen Hardy, Ass't. Secretary

GH/w

ac: Harvey

STATE OF UTAH OIL & GAS CONSERVATION COMMISSION

Salt Lake City 14, Utah

REPORT OF OPERATIONS AND WELL STATUS REPORT

State	Utah	Cou	inty Gr	and		. Field or	Lease	Agate
The						d production	on (inclu	ding drilling and producing wells) for
Agent's		5 3	alker Ba			Comp	any U-	Tex Oil Company
*********		Salt L	ake City	11, Ut	ah	Signed		Mu blow
Phone		EL 9-7	402			Agent	s title	Secretary
State Lea	se No.	•	Fede	ral Lease	No.		Indian I	ease No Fee & Pat. 🛣
Sec. & 1/4 of 1/4	Twp.	Range	Well No.	*Status	Oil Bbls.	Water Bbls.	Gas MCF's	REMARKS
								(If drilling, Depth; if shut down, Cause; Date & Results of Water Shut-Off Test; Contents of Gas; and Gas-Oil Ratio Test)
nwł nwł	SW\							
3	20 S	24 E	3					Attempting to stop flow of water Under-reaming. Depth 1305 feet at January 31st. 1425 feet February 10, 1963.
			<u>.</u>					
	•							
							;	
				:				
·								
•		İ						

NOTE: Report on this form as provided for in Rule C-22. (See back of form.)

FILE IN DUPLICATE

*STATUS: F-Flowing P-Pumping GL-Gas Lift
SI-Shut In D-Dead
GI-Gas Injection TA-Temp. Aban.
WI-Water Injection

Copy H. L. C.

PAB

Form OGCC 4

STATE OF UTAH OIL & GAS CONSERVATION COMMISSION

Salt Lake City 14, Utah

REPORT OF OPERATIONS AND WELL STATUS REPORT

State	Utah	Cou	ntyG	rand		. Field or	Lease	Agate
Ti	ne followi	ng is a co	rrect repor	t of oper	ations and	ł productio	on (includ	ding drilling and producing wells) for
	Janua	ry		, 1963	3			
Agent's	s address	1112 W	alker Ba	nk Buil	lding	Compa	any U	Tex 0il Company
		Salt L	ake City	11, U	ah	Signed		his boat
Phone	•••••	EL 9-74	402			Agent'	s title	Secretary
State L	ease No.		Fede	ral Lease	No		. Indian L	ease No Fee & Pat. 🔼
Sec. & 1/4 of 1/4	Twp.	Range	Well No.	*Status	Oil Bbls.	Water Bbls.	Gas MCF's	REMARKS (If drilling, Depth; if shut down, Cause; Date & Results of Water Shut-Off Test; Contents of Gas; and Gas-Oil Ratio Test)
nwł n	wł swł							
3	20 S	24 E	3					Attempting to stop flow of water - Under-reaming. Depth 1305 feet at January 31st., 1425 feet February 10, 1963.
						·		
								·
		\ \\.						

NOTE: Report on this form as provided for in Rule C-22. (See back of form.)

FILE IN DUPLICATE

*STATUS: F-Flowing P-Pumping GL-Gas Lift SI-Shut In D-Dead GI-Gas Injection TA-Temp. Aban.

WI-Water Injection

January 22, 1963

U-Tex 0il Company 1112 Walker Benk Building Salt Lake City 11, Utah

Attention: Reed E. Holt, Secretary

Re: Well No. Fee #3

Sec. 3, T. 20 S, R. 24 E.,

Grand County, Utah

Gentlemen:

Our records indicate that you have not filed a Monthly Report of Operations for the month of December, 1962, for the subject well. Rule C-22 (1), of the General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission requires that said report be filed on or before the sixteenth (16) day of the succeeding month. These reports may be filed on Form OGCC-4, "Report of Operations and Well Status Reports", on Company Forms containing substantially the same information, or on U. S. Geological Survey Form 9-329, "Lessee's Monthly Report of Operations".

We are enclosing Form OGCC-4 for your convenience.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CONNIE F. PALOUKOS RECORDS CLERK

CFP: cnp

Encl. (Forms)

LAP

Copy H. L.C.

PAR

Form OGCC 4

STATE OF UTAH OIL & GAS CONSERVATION COMMISSION Salt Lake City 14, Utah

Juli Luke City 14, Oldii

REPORT OF OPERATIONS AND WELL STATUS REPORT

State	Utah	Cour	ntyGra	and	****	. Field or	Lease	Patsantaras
The			rrect repor			d production	on (inclu	ding drilling and producing wells) for
Δ σοπέλο			ker Banl			Camana	U	-Tex Oil Company
Agents			e City					
Phone		lgin 9-				•	s title	Ass't. Secretary
State Lea	ıse No		Fede	ral Lease	No		. Indian L	ease No Fee & Pat. 🔼
Sec. & 1/4 of 1/4	Twp.	Range	Well No.	*Status	Oil Bbls.	Water Bbls.	Gas MCF's	REMARKS (If drilling, Depth; if shut down, Cause; Date & Results of Water Shut-Off Test; Contents of Gas; and Gas-Oil Ratio Test)
włnwłswł	;							Contents of Gas; and Gas-Oil Ratio Test)
3	20 S	24 E	3					Dislodging tools stuck, 30 feet from bottom.
								Depth of hole 1807 feet.
								popul or note 2007 rece.
		:						
							i	
		<u> </u>		<u> </u>		L		1

NOTE: Report on this form as provided for in Rule C-22. (See back of form.)

FILE IN DUPLICATE

*STATUS: F-Flowing P-Pumping GL-Gas Lift SI-Shut In D-Dead GI-Gas Injection TA-Temp. Aban. WI-Water Injection

Ŋ.

February 19, 1963

U-Tex Oil Company 1112 Walker Bank Building Salt Lake City 11, Utah

Attention: Reed E. Holt, Secretary

Re: Well No. Fee #3

Sec. 3, T. 20 S, R. 24 E.,

Grand County, Utah

Gentlemen:

Our records indicate that you have not filed a Monthly Report of Operations for the month of January, 1963 for the subject well. Rule C-22 (1) of the General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission requires that said report be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGCC-4, "Report of Operations and Well Status Reports", on Company Forms containing substantially the same information, or on U. S. Geological Survey Form 9-329, "Lessee's Monthly Report of Operations".

We are enclosing Form OGCC-4 for your convenience.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CONNIE F. PALOUKOS RECORDS CLERK

CFP:cnp

Encl. (Forms)

and with the same of the same

PMB

March 11, 1963

MEMO FOR FILING

Re: U-Tex Oil Company

Fee #3

Sec. 3, T. 20 S, R. 24 E.,

Grand County, Utah

On March 8, 1963, I approved this following plugging program.

			Plugs	
Surface pipe	@	60'	50'- 100'	
Dakota	@	1120'	1075'- 1175 '	
Morrison	@	1696'	1650'-1750'	
Entrada	a	1939'	1875'-1975'	

5 sack marker at surface and marker
Well had brackish water shows at 1120', 1700', and 1900'.

HARVEY L. COONTS PERROLEUM ENGINEER

HLC: cnp

 148

U-TEX DIL COMPANY

1112 WALKER BANK BUILDING

SALT LAKE CITY 11, UTAH

March 14, 1963

Oil and Gas Conservation Commission 310 Newhouse Building Salt Lake City 11, Utah

Gentlemen:

We enclose endorsement to be attached to bond No. 2119902 issued by Continental Casualty Company and submitted to you with our letter dated November 9, 1962 in connection with our Notice of Intention to Drill Well No. 3 in Section 3, Township 20 South, Range 24 East, SLM, Grand County, Utah.

Yours very truly,

Reed E. Holt, Secretary


Encl. GH/w







Dwab



STATE OF UTAH OIL & GAS CONSERVATION COMMISSION

SALT LAKE CITY, UTAH

Fee and Patented
State
Lease No
Public Domain
Lease No.
Indian
Legge No

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill		Subsequent Report of Water Shut-off			
(INDICATE ABOVE BY CHECK MARK	NATU	Manual 20			
Well No. 3 is located 2310 ft. from	(N)	March 29, 19 63. line and 330 ft. from W line of Sec. 3			

 NW2NW2SW2 Sec. 3
 T 20 S
 R 24 E
 SLM

 (¼ Sec. and Sec. No.)
 (Twp.)
 (Range)
 (Meridian)

 Cisco Springs
 Grand
 Utah

Cisco Springs Grand Utan

(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is ...4,593 feet.

A drilling and plugging bond has been filed with ... Oil and Gas Conservation Commission

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Plugged with 64 sacks cement on bottom at 2043'.

Pulled 5" casing.

Pulled 7" casing and set bridge at 1957'. Cemented back to 1875' with 30 sacks cement.

Set bridge at 1750 and cemented back to 1650 with 30 sacks cement.

Set bridge at 1175 and cemented back to 1075 with 40 sacks cement.

Set bridge at 75° and cemented back to 50° with 12 sacks cement.

Put 6 sacks cement in top of 10-3/4" casing and set marker.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company U-TEX OIL COMPANY

Address 1112 Walker Bank Building By F. E. Hawks

Salt Lake City 11, Utah Title Field Superintendent

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

Coulla -I talked w/ Johnny Moore re: Cleaning up The May # 3, See 3, 7205 R 200. Don Russell was to the well Widnesday Dec 18 and said it was junky. J. Moore said he would Try to get it cleaned within Ih next down weeks. Hawey

Form OGCC-3

STATE OF UTAH

OIL & GAS CONSERVATION COMMISSION

Salt Lake City, Utah

To be kept Confidential	until	
	(Not to exceed 4 months after filing dat	e
	7	

					LOC	G OF C	IL OR G	AS W	ELL	
			CORRECTLY				1112 Walker	Bank B	uildin	g
Ope	rati	ng Comp	any U-Tex	Oil Com	pany	Address	Salt Lake C	ity 11,	Utah	
Lea	se o	r Tracta.	Gust Pats	antaras		Field	Cisco Springs	_ State	Utah	
Wel	l No	. 3	Sec. 3 '	r.20S R.	24E Meri	dian SLM	Cou	ntyG	rand	
Loc	atio	a 2310	ft. $\{N.\}$ of S	Line an	d 330 ft.	E. of W	Line of NWZNWZ	SW½	Eleva	tion
	The	e informs	ation given h	erewith is	a complete	e and correc	t record of the we	ell and al	l work d	lone the
so f	ar as	s can be	determined for	rom all ave	ailable reco	ords.	6 Hawh	>		÷
T > .		March	29, 1963			neu <i>µ</i>	Title	Field S	uperin	tenden
Dat						n of the well	at above date.			
· C	Ine	summa.	ry on this par i: Decem	iber 4,	10	62 Finish	ed drilling	March	7	, 19.
Con	ame	ncea arm	mg			S SANDS O				,
				Oll		enote gas by G	A ZUILS			
No.	1, f	rom1	320¹ G	to		No. 4,	from	te	o	
							from			
							from			
	•	rom 1	.198 ¹	to1	705 ' CASI	No. 3, No. 4,	from 1790 from 1940	t)	08'
Siz	se	Weight per foot	Threads per inch	Make	Amount :	Kind of shoe	*Cut and pulled from		Perforated	
10-3/	.	per foot	inch		61'		-	From-	To-	
7"	4				1810'	Recovered				
5-1/	2"				1980 '	Recovered	1			
- <u> </u>				MUDD	ING AND	CEMENTI	NG RECORD		 	
Siz /4" casi	e Dg	Where se	t Numi	oer sacks of cer	ment	Method used	Mud gravity	Amount of mud used		
•		2043	31	32 64						
				30 30			1	1		
£		1957	,	30						
	. -	1957 1750 1175		30 40						

0.0		menc				side hereof			
Adapters-M	aterial		OOTING R						
Size	Sheli used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out			
		-	-	-					
•	3.			L .	1				
			t .		1				
			TOOLS US						
Rotary tools	were used from	fee	et to	feet,	and from	feet to fee			
Cable tools we	ere used from	surface fee	t to 2043	feet,	and from	feet to fee			
			DATES						
Date P & A	March 11,	·, -	19.63. Pu	t to prod	ucing	, 19			
The prod	luction for the	first 24 hours wa	s	barrels of	fluid of which -	% was oil;%			
emulsion:	$_{-2}$ % water; and	% sediment			Gravity, °Bé				
						ft. of gas			
		•		10110 5 400	1110 por 1,000 ou	. 10. 01 840			
Rock pre	essure, 10s. per	sq. in	EMPLOYI	EES					
į.	John W. Moor	e Drille	r			, Drille			
		Drille				, Drille			
		,	MATION I			, Бішо			
FROM-	то-	TOTAL FE			FORMATI	ON			
	<u> </u>			t the end o	of complete Driller's	Log add Geologic Tops.			
			, ,	_	hether from Electric				
	1.00	7.100		•	<u> </u>				
Surface 1122	1122 1214	1122	ſ	ncos sh					
1214	1329	115		Dakota sandstone Cedar Mountain formation					
1329	1604	275		Brushby Basin member of Morrison					
2027				formati					
1604	1911	307	Sa	lt Wash	member of Mo	rrison formation			
1911	1939	28	Su	mmervil	le formation				
1939	2043	104	En	trada f	ormation				
				Fro	m samples				
						•			
	1								
	1								
						t			
	1	l l							

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing. ı 7000 UMC

n tra<mark>o</mark>z ymeg

State whether electric logs were run.

Plugged with 64 sacks of cement on bottom. Pulled 5-1/2" casing. Pulled 7" casing and set bridge at 1957'. Cemented back to 1875' with 30 sacks of cement. Set bridge at 1750 and cemented back to 1650 with 30 sacks of cement. Set bridge at 1175 and cemented back to 1075 with 40 sacks cement. Set bridge at 75° and cemented back to 50° with 12 sacks of cement. Put 6 sacks of cement in top of 10-3/4" pipe and set marker.

NOTES A STATE OF NOTES

M.C.T.

ATS IN A TOP

. .3

1001

JOHO HOS P

A CO

April 2, 1963

U-Tex Oil Company 1112 Walker Bank Building Salt Lake City, Utah

Re: Well No. Fee #3
Sec. 3, T. 20 S, R. 24 E.,
Grand County, Utah

Gentlemen:

We are in receipt of your "Log of Oil or Gas Well", Form OGCC-3, for the above mentioned well. In checking the log we note that you listed sample formation tops. We are inquiring wheather or not electric and/or radioactivity logs were run. If not, would you please advise this office in order that we may complete our file on this well.

Thank you for your cooperation in this request.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLARELLA N. PECK RECORDS CLERK

CNP:

Je N P



1112 WALKER BANK BUILDING

SALT LAKE CITY 11, UTAH

April 3, 1963

Oil & Gas Conservation Commission 310 Newhouse Building 10 Exchange Place Salt Lake City 11, Utah

Attention: Miss Clarella N. Peck

Records Clerk

Re: Well No. Fee #3

Sec. 3, T 20 S, R 24 E Grand County, Utah

Dear Miss Peck:

We have your inquiry dated April 2, 1963 relative to the above well.

No electric or radioactivity logs were run on this well.

Yours very truly

Glen Hardy,

Ass!t. Secretary

GH/w

Chanella! OK hopelease this word if confine cleaned and conered this across USTEX DIL COMPANY

1112 WALKER BANK BUILDING

SALT LAKE CITY 11, UTAH

September 26, 1963

Oil & Gas Conservation Commission 310 Newhouse Building Salt Lake City, Utah 84111

Gentlemen:

On November 9, 1962 we submitted Continental Casualty Company bond No. 2119902 in the amount of \$5,000.00 in connection with the drilling of our U-Tex No. 3 well on lands owned by Gust Patsantaris and Mabel Patsantaris in the NW\(\frac{1}{2}\)NW\(\frac{1}{2}\)SW\(\frac{1}{2}\), Section 3, Township 20 South, Range 24 East.

This well was abandoned in accordance with our Notice dated March 29, 1963.

Will you kindly advise us if you cannot now instruct Continental Agency Company, 320 East 4th South, Salt Lake City, Utah, to release the bond.

Yours very truly,

Reed E. Holt, Secretary

GH/w



January 24, 1964

U-Tex Oil Company 1112 Walker Bank Building Salt Lake City, Utah

Re: Well No. Fee #3

Sec. 3, T. 20 S., R. 24 E.,

Grand County, Utah

Gentlemen:

Enclosed please find a memo from our Petroleum Engineer, Harvey L. Coonts. According to Mr. Coonts, Mr. John Moore states that he has completed cleaning up the area at the above mentioned location.

Liability under Bond No. 2119902 is hereby re-

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT EXECUTIVE DIRECTOR

CBF: cnp

cc:

Continental Casualty Company

320 East 4th South Salt Lake City, Utah